




PAD COLOR OPTIONS



White



Grey



Black

PAD FEATURES



Lock at
any position



Quick assembly
system



100mm
PU fixing



Pad slide
adjustment



Pad swivel
adjustment




Slide inward




Pad back and
forth adjustment

One Shape different function



Chuan Hsing can provide custom
pad design service.

Customized pad available



CH-299


description

Inward slide PU Pad

*Available armrest options
in following series :
CH-630,CH-650,CH-680,
CH-690,CH-800

*Patent. US 10932574

features



■mm

CH-219


description

Inward slide PU Pad

*Available armrest options
in following series :
CH-630,CH-650,CH-680,
CH-690,CH-800

*Patent. US 10932574

features



■mm

CH-218

description


Front , back, and sideway adjustments, with lock in any position.

*Available armrest options in following series :

CH-630,CH-650,CH-680, CH-690,CH-800

*Patent. TW I353822 ,
CN 200810176451.5

features



■mm

CH-288 PU

description


Front , back, and sideway adjustments, with lock in any position.

*Available armrest options in following series :

CH-630,CH-650,CH-680, CH-690,CH-800

*Patent. TW I353822 ,
CN 200810176451.5

features



■mm


CH-219-1

description

PU fixed Arm Pad



features



■mm

CH-292 PU

description


PU fixed Arm Pad



shipping spec.

36pcs / ctn
9.2kgs / N.W
10.2kgs / G.W
0.76' / cu'ft

features



■mm



CH-215

description

Quick assembly multifunctional pad. Depth and swivel adjustment with lock.

*Patent. TW I604812

TW I634858

US 9700145

US 10143310


DE 102016123076B

CN 201610191004.1

CN 201720493212.7



features



■mm

CH-219-2

description

Quick assembly fix pad.

*Patent. TW I604812


US 9700145

DE 102016123076B

CN 201610191004.1



features



■mm

CH-295 PU

description

Quick assembly multifunctional pad. Depth and swivel adjustment with lock.

*Patent. TW I604812

TW I634858

US 9700145

US 10143310

DE 102016123076B

CN 201610191004.1

CN 201720493212.7

shipping spec.


36pcs / ctn

12kgs / N.W

13kgs / G.W

0.95' / cu'ft

features



■mm

CH-296 PU

description

Quick assembly multifunctional pad.

Depth and swivel adjustment.

*Patent. TW I604812

US 9700145

DE 102016123076B

CN 201610191004.1

shipping spec.


36pcs / ctn

12kgs / N.W

13kgs / G.W

0.9' / cu'ft

features



■mm

CH-297 PU

description

Quick assembly fixed pad

*Patent. TW I604812

US 9700145

DE 102016123076B

CN 201610191004.1

shipping spec.


36pcs / ctn

14.5kgs / N.W

15.5kgs / G.W

0.82' / cu'ft

features



■mm

CH-298 PU

description

Quick assembly sliding pad

*Patent. TW I604812

US 9700145

DE 102016123076B

CN 201610191004.1

shipping spec.


36pcs / ctn

12kgs / N.W

13kgs / G.W

0.9' / cu'ft

features



■mm

Armpad

CH-31

description

TPU arm pad


Fully recyclable
after use

*Patent. TW M366343

shipping spec.

36pcs / ctn
6.3kgs / N.W
7.3kgs / G.W
0.84' / cu'ft

features



mm

CH-32

description


PP Arm pad

Fully recyclable
after use

shipping spec.

36pcs / ctn
4.32kgs / N.W
5.32kgs / G.W
0.64' / cu'ft

features



mm

CH-291 PU


description

PU fixed Arm Pad

shipping spec.

36pcs / ctn
6.5kgs / N.W
7.5kgs / G.W
0.85' / cu'ft

features



mm

SP-002


description

PU sliding Pad

shipping spec.

40pcs / ctn
15.2kgs / N.W
16.2kgs / G.W
1.39' / cu'ft

features



mm

SP-003

description


PU sliding Pad



shipping spec.

40pcs / ctn
15.2kgs / N.W
16.2kgs / G.W
0.86' / cu'ft

features



■mm

CH-282 PU

description


PU Arm Pad



shipping spec.

40pcs / ctn
8.6kgs / N.W
9.6kgs / G.W
0.84' / cu'ft

features



■mm

SP-005

description


PU sliding Pad



shipping spec.

40pcs / ctn
16.3kgs / N.W
17.3kgs / G.W
1.18' / cu'ft

features



■mm

CH-289 PU

description


PU fixed Arm Pad



shipping spec.

40pcs / ctn
9.52kgs / N.W
10.52kgs / G.W
0.98' / cu'ft

features



■mm

Armpad

CH-283 PU

description


Front , back, and sideway adjustments, with lock in any position.



shipping spec.

16pcs / ctn
5.4kgs / N.W
5.9kgs / G.W
0.95' / cu'ft

features



mm

CH-278 PU

description


PU Arm Pad



shipping spec.

40pcs / ctn
15kgs / N.W
16kgs / G.W
1.39' / cu'ft

features



mm

CH-203 PU

description


PU Arm Pad



shipping spec.

40pcs / ctn
11kgs / N.W
12kgs / G.W
1.5' / cu'ft

features



mm

CH-263 PU

description


PU Arm Pad



shipping spec.

40pcs / ctn
15kgs / N.W
16kgs / G.W
1.8' / cu'ft

features



mm

CH-267 PU

description


PU Arm Pad



shipping spec.

40pcs / ctn
11.7kgs / N.W
12.7kgs / G.W
1.7' / cu'ft

features



■mm

CH-276 PU

description


PU Arm Pad



shipping spec.

40pcs / ctn
11kgs / N.W
12kgs / G.W
1.47' / cu'ft

features



■mm

CH-269 PU

description


PU Arm Pad



shipping spec.

40pcs / ctn
12kgs / N.W
13kgs / G.W
1.6' / cu'ft

features



■mm

CH-272

description


PU Arm Pad



shipping spec.

40pcs / ctn
12kgs / N.W
13kgs / G.W
1.2' / cu'ft

features



■mm

Sales Contact

Tony

tony.tsai@chsing.com

Heidi

heidi.wu@chsing.com

Joy

joy.pan@chsing.com

Annie

annie.chao@chsing.com
